



U.S. Department of Transportation


National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.





Case Vehicle (A): 1998 Chevrolet Type: Venture LS, 4 x 2, 4-door APV

Driver: 64-year-old female CDC: 12-LYAS-2, 12-FCEN-3

#### **SITUATION**

(Slide 1) It was daytime, the sky was cloudy, and (slide 2) the two-lane asphalt road surface was dry and free of defects. Case vehicle (A) was traveling north at an unknown speed in the northbound lane. Vehicle (X) was stopped facing east on a two-lane east-west road that T-intersects with the north-south road. As case vehicle (A) approached the intersection with the east-west road, vehicle (X) moved forward and turned north in front of case vehicle (A). (Slide 3) The driver of case vehicle (A) steered to the left to avoid a collision. (Slide 4) Case vehicle (A) exited the west edge of the road surface, (slide 5) went into a shallow ditch, and (slide 6) sideswiped a tree with its left side. (Slide 7) Case vehicle (A) continued on and (slide 8) struck a 38 cm diameter tree with its center front. The driver of case vehicle (A) was transported via ambulance to a regional level-one trauma center and was treated and released.

#### GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 9) Damage to case vehicle (A) was severe. (Slide 10) Direct damage from the frontal impact began 48 cm to the right of the left-front bumper corner and extended 38 cm to the right. The maximum crush was 40 cm at the center of the front bumper. (Slide 11) Damage to the left side of case vehicle (A) from the sideswipe was minor. Direct damage began at the left-front bumper corner and extended 152-cm rearward along the fender and front door. The maximum crush from the sideswipe was 4 cm to the left fender.

Using the WinSMASH accident-reconstruction program and (slides 12, 13, 14 and 15) a crush profile measured at the front of case vehicle (A), the following impact severity was calculated for the frontal impact:

	Calculated Velo			- kph (mph)
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	delta V	27 (17)	-27 (-17)	-0 (-0)

#### **DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)**

#### Exterior

In the front, (slide 16) the center portion of the bumper, the grille, and the hood were crushed rearward. The hood latch was damaged and jammed closed. (Slide 17) The rear edge of the hood was elevated, but it did not contact the damaged windshield, which was (Slide 18) cracked due to contact by the passenger airbag cover.

On the left side, (slide 19) the front fender was crushed inward, the lower A-pillar, and the front door were damaged from the first sideswipe impact with the tree. (Slides 20 and 21) There was no change in the left wheelbase.

(Slides 22, 23 and 24) There was no right-side damage and no change in the right wheelbase

(Slide 25) There was no damage to the rear of the vehicle.

#### Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags, and (slides 26, 27 and 28) both deployed during the frontal impact. (Slides 29 and 30) There was no damage to the steering-wheel module flaps/covers. (Slide 31) The passenger airbag module cover was deformed (slide 32) when it contacted and cracked the windshield. (Slides 33 and 34) There was no damage to the steering-wheel rim or (slide 35) spokes. There was no apparent displacement of the steering column. (Slides 36, 37, 38, 39, 40, 41 and 42) There was no other interior damage and no intrusions were noted.

#### OCCUPANT KINEMATICS AND INJURIES

(Slide 43) The 5-ft, 0-in, 135-lb, 64-year-old female driver was wearing the three-point belt, and the pretensioner fired, (slide 44) as indicated by the compressed latching mechanism stalk, and the steering-wheel airbag deployed during the frontal impact. (Slides 45 and 46) There were no

witness marks on the plastic D-ring, (slide 47) but there was a slight amount of melted plastic on the belt webbing. The driver seat was forward of the mid-track position, and the adjustable upper shoulder-belt anchor was in the full-down position.

During the sideswipe impact, the driver probably moved slightly to her left, but on the frontal impact, she moved straight forward into the belt restraint and airbag. She sustained a contusion to her right knee due to contact by the knee bolster, (slides 48 and 49), as evidenced by scuff marks on the plastic knee bolster cover. She sustained a strain to her left calf muscle from an unknown source. (Slide 50) There was a scuff mark on the left sunvisor, but no injuries were attributed to it.

The following table and attached drawing (slide 51) summarizes the injuries sustained by the driver of case vehicle (A).

Occupant: Driver Restraints: 3-point belt worn; frontal-impact airbag deployed

Age: 64 years Stature: 152 cm (5 ft, 0 in)

Gender: Female

Mass: 61 kg (135 lb)


			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Contusion, right knee	1	Knee bolster		
Strain, left calf muscle	1			Unknown
Maximum A.I.S. Level	1			
Injury Severity Score	2			

	<del></del>		
Duplicate columns 1-8 Module G I Format from the previous card. 9 10 1	0 2	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION		Environmental Conditions construction zone	
HOUR OF COLLISION		(0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT	33
(24 HOUR CLOCK) 21 24	4	VERTICAL PLANE	
LOCATION STATE:		(1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN	34
STATE FIPS CODE	25 26	ROAD ALIGNMENT HORIZONTAL PLANE	1
AREA (1) URBAN (2) RURAL (9) UNKNOWN	2	(1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	35
ENVIRONMENTAL CONDITIONS		SURFACE COVERING	
LIMITED-ACCESS HIGHWAY (0) NO	0	(10) DRY	$\frac{1}{36}$
(1) YES (9) UNKNOWN	28	(21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN	30 37
ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE)		(31) SNOW - LOOSE (32) SNOW - PACKED	
(1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	<u>a</u>	(39) SNOW - CONDITION UNKNOWN  (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN	
,		VISIBILITY LIMITATION (FOR CASE VEHICLE)	
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR  (8) NOT APPLICABLE  •	3,	(0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION	38
TYPE OF ROAD SURFACE		(5) GLARE (6) RAIN	
(1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER:	31	(7) OTHER:	
(9) UNKNOWN  ROAD DEFECTS  (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE	39
		(9) UNKNOWN	

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS  SPEED LIMIT  (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	40	MECHANICAL MALFUNCTION  WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE  (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN  RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN  TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	8 42 43 44 45	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED.  CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS.  BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER:  COMMENTS:  COMMENTS:

		GENERAL INFORMATION	GI-3
CRASH DETAILS  CASE VEHICLE AND OBJECT  (0) NO (1) YES (9) UNKNOWN	47	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE)  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	
CASE VEHICLE ROLLOVER  (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	<b>O</b> 48	(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	<u></u>
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT)  (0) NO (1) YES (9) UNKNOWN	1 49	DRIVER IMPAIRMENT  DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE)  (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	56
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE  (0) NO (1) YES (9) UNKNOWN	<u>Q</u> 50	DRIVER ALCOHOL BAC (CASE VEHICLE)  (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	<u>8</u>
CASE VEHICLE AND CONTACTED STOPPED VEHICLE  (0) NO (1) YES (9) UNKNOWN	51	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE  (0) NO (1) YES (9) UNKNOWN	52	LIST IMPAIRMENTS MENTION	IED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH  (8) 8 OR MORE (9) UNKNOWN		Post - Crash Detail  MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE)  (0) NO (1) YES (9) UNKNOWN	<u></u> 54	<ul><li>(1) DRIVEN</li><li>(2) TOWED DUE TO DAMAGE</li><li>(3) TOWED, NOT DUE TO DAMAGE</li><li>(4) TOWED, REASON UNKNOWN</li><li>(9) UNKNOWN</li></ul>	<b>7</b>

NORTH



Duplicate columns 1-8 Module O V Format 0 4 from the previous card.	OTHER VEHICLE	OV-1
MAKE:NOT APPLICABLE	CARGO:	
VIN		
MANUFAC/BODY CODE		
MAKE/MODEL CODE	PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY	56 57
MODEL YEAR	(24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT	
VEHICLE MASS (kg)	(28) INTERMEDIATE (29) FULL	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE  (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO)  (15) LARGE UTILITY (WHEELBASE MORE THAN 107°, E.G. PANEL TRUCK, SUBURBAN)	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)  5	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER	
TRAVELING SPEED (km/h)  (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)  BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS)  (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN  WHEELBASE (CM) (999) UNKNOWN	
		58 59 60

Duplicate columns 1-8 Module O V from the previous card.	Format <u>0</u> <u>2</u>	Отн	ER VE	HICLE	OV-2
	ORIGINAL SP	PECIFICATIONS			
Wheelbase	cm	Front Overhang	22		cm
Curb Weight	kg	Rear Overhang			cm
Average Track Width	cm	Undeformed End Width (UEV	25 V)	27	cm
13 15 Overall Length	cm	Engine Displacement	28	30	1
16 18	CIII		31	32	L
Overall Width (OAW)	cm	Engine: # of Cylinders	33	34	
	VEHICLE	DAMAGE			
,					
	NOT ADD				
	NUI APP	PLICABLE			
	FRONTAL CRA	ASH OVERLAP			
Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/	<b>'A</b> .	Direct Damage Length (DDL)	35		cm
Front-End Overlap (Perc					0/
. Ion and overlap (Felc	UEW			38 39	%

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

Duplicate columns 1-8 Module V D Format 0 11		VD-1
MAKE: Cheurs let  MODEL: Venture L5, 4-door	CARGO:	
VIN $\frac{1}{13}$ $\frac{G}{G}$ $\frac{N}{P}$ $\frac{N}{X}$ $\frac{O}{A}$	3 E 9 W D	29
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{1}{3}$ $\frac{3}{1}$	STOLEN VEHICLE	
MAKE/MODEL CODE 294	0 (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>es</u>
MODEL YEAR	8	
VEHICLE MASS (kg) 0 0 1 7 6	BODY STRUCTURE  (1) BODY & FRAME	2
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC)  49	2 (2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	(E.G. VW BUG) (5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
TRAVELING SPEED (km/h) 9 9	TRANSMISSION	
(995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	(0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	64
VEHICLE TYPE	LOCATION OF TRANSMISSION	
(12) 2-DOOR SEDAN OR COUPE 60	2 4 SELECTOR LEVER	3
(ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH. :	(2) CONSOLE (3) COLUMN (7) OTHER: (9) UNKNOWN	65
(19) PASSENGER VEHICLE, TYPE UNKNOWN  MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)	STEERING	•
(22) LARGE UTILITY (E.G. PANEL TRUCK SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	(1) POWER (2) MANUAL (9) UNKNOWN	66
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED)	BRAKES (1) POWER	1
(33) PICKUP TRUCK, LARGE (99) UNKNOWN	(2) MANUAL (9) UNKNOWN	67

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES  (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<u>3</u>	WHEELBASE (cm) (999) Unknown  3 0 3 76 77 7
BRAKE ANTI-LOCK DEVICE  (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN  AIR CONDITIONING IN VEHICLE  (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED  (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE  (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN  DUAL REAR WHEELS  (0) NO (1) YES (9) UNKNOWN  ORIGINAL TYPE OF RESTRAINT SYSTEM  (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	2 71 0 72 3 73	FIELD INVESTIGATOR INSTRUCTIONS:  1. INDICATE CRUSHED AREAS BY OUT- LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.  2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.  3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR.  4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR  (0) NO (1) YES (9) UNKNOWN  TYPE OF ROOF  (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	74 1 75	FRONT OR REAR  ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card. Module V D Format 0 2

VEHICLE DESCRIPTION

VD-3

#### **ORIGINAL SPECIFICATIONS**

Wheelbase

Front Overhang

$$O_{22} - Q_{24} - Cm$$

**Curb Weight** 

Rear Overhang

$$\frac{1}{25} \frac{1}{27} \frac{2}{27} \text{ cm}$$

Average Track Width 
$$\frac{1}{13} = \frac{5}{9} = \frac{9}{15}$$
 cm  
Overall Length  $\frac{5}{16} = \frac{1}{18} = \frac{1}{18}$  cm

Undeformed End Width (UEW)

$$\frac{1}{25} \frac{1}{5} \frac{2}{27} cm$$

$$\frac{1}{28} \frac{5}{30} cm$$


$$\frac{3}{31} \cdot \frac{9}{32} L$$

**Engine Displacement** 

Engine: # of Cylinders

#### VEHICLE DAMAGE

#### MEASUREMENTS IN CENTIMETERS



#### FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

$$\frac{9}{35} \frac{9}{1} \frac{9}{37}$$
 cm

Front-End Overlap (Percent) = DDL UEW

Duplicate columns 1-8 Module D // from the previous card. 9 10	A Format 0 2 11 12	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	<u>2</u>	tree
IMPACT SPEED (km/h)	9 9 9	9 4 8 35 36 37
ESTIMATED BY	17	<u> </u>
CRUSH (cm)	<u>O</u> 4 <u>O</u> 20	9 9 8
CDC #1	1 2. F C E N. 3	<u>98.0000.0</u>
CDC #2	<u>9</u> 9.0000.0	98.0000.0
Duplicate columns 1-8 Module D A from the previous card. 9 10	Format 0 3 11 12	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	<u>1</u>	tree
IMPACT SPEED (km/h)	<del>9</del> <del>9</del> <del>9</del> <del>15</del> <del>16</del>	$\frac{9}{35} \frac{9}{36} \frac{8}{37}$
ESTIMATED BY	17	<u>y</u>
CRUSH (cm)	<u>O</u> <u>O</u> <u>Y</u> <u>20</u>	$\frac{9}{39} \stackrel{38}{\overset{40}{\cancel{4}}} \frac{\cancel{8}}{\cancel{4}_1}$
CDC #1	1 2.4 Y A 5.2	98.0000.0
CDC #2	9 1.00 00.0	98.000000 49
Codes		
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN	(2) DRIVER	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE)
IMPACT SPEED	(3) POLICE (4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	(999) UNKNOWN CDC
(998) NOT APPLICABI (999) UNKNOWN	SPECIFY:	(9800000) NOT APPLICABLE (9900000) UNKNOWN

Duplicate columns 1-8 from the previous card.

DAMAGE

DA-2

#### MAXIMUM SHEET METAL CRUSH

(cm) (999) UNKNOWN

RIGHT SIDE O O

REAR 
$$\frac{O}{19}$$
  $\frac{O}{21}$ 

LEFT SIDE <u>0</u> <u>9</u> <u>9</u>

OTHER <u>0</u> 0 0

# CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE

NOTE: IF CHRONOLOGICAL ORDER
IS UNKNOWN EVENT

DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER?

1

IS UNKNOWN, EVENT ORDER IS OPTIONAL.

(0) NO (1) YES

EVENT NUMBER	IMPACT LOCATION  (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.
# 1	3 32 3	<u>2</u> <u>7</u>	$\frac{77}{36} \text{ thee}$ $22 \text{ thee}$
#2	<u>3</u>	<u> 1 7</u>	77 tree
#3	42		46
#4	47	49	<del></del>
#5	52		<del></del>
#6	57	<del></del>	61
#7	62	64	<del> 66</del>

#### CODES FOR IMPACT CONFIGURATION

#### FRONT OF CASE VEHICLE

- (11) AND <u>FRONT</u> OF CONTACTED VEHICLE (13) AND <u>SIDE</u> OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
  (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### **REAR** OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### **RIGHT SIDE OF CASE VEHICLE**

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### **OTHER**

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

#### **ROLLOVER**

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

#### UNKNOWN

(99) IMPACT TYPE <u>UNKNOWN</u>

#### CODES FOR VEHICLE/OBJECT CONTACTED

#### VEHICLE/OBJECT GROUPS

- NO OBJECT (00)
  - (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- (98)

OTHER (DESCRIBE)

(99)

UNKNOWN

#### PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

#### SIZE

#### WHEELBASE

SUB-MINI	< 2286 mm ( < 90°)
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100" - 104,9"
INTERMEDIATE	2667 - 2793 mm (105" - 109,9"
FULL	2794 - 2920 mm (110" - 114.9°
LARGE	2921 - 3174 mm (115" - 124,9"

LIMOUSINE

2921 - 3174 mm (115" - 124,9")

> 3175 mm (> 125°)

#### MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107°, E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

#### **TRUCK**

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

#### BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

#### MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

#### SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

#### **OBJECT**

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION
- (93) GUARD POST (TIMBER, METAL, CONCRETE) (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 Module C from the previous card. 9 1	R Format 0 1 1 12		H RECONSTRUC T AV	TION CR-1	
		PRIMARY IMPACT	CASE VEHICLE SECONDARY IMPACT		
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE	
EVENT NUMBER	<u>2</u>		1/47		
ΔV (km/h) TOTAL	0 2 7	$\frac{8}{32} = {33} = {34}$	9	66 67 68	
LONGITUDINAL	$\frac{-027}{17}$	8	<del>9</del> — 54	9	
LATERAL*  NOTE: THESE ΔV COMPONENTS  MUST INCLUDE SIGN.	<u>+</u> <u>0</u> <u>0</u> <u>0</u>	8	9	73 76	
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>-</u> <u>0</u> <u>0</u> <u>7</u>					
ENERGY DISSIPATED BY CRUSH (kj)	$ \underline{0}_{25} \underline{0} \underline{5} \underline{0}_{28} $	8	9	9	
RECONSTRUCTION					
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>Z</u> <u>Z</u>		<u>O</u> <u>&amp;</u>		
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64		
NOT RECONSTRUCTED BECAUSE					
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT					
INSPECTED MODE					
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	2 31		5 65		
SPECIFY: WINS PIAS II		r			

Duplicate columns 1-8 from the previous card.

CRASH RECONSTRUCTION for EBS

CR-2

nom the previous card.	11 12					
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SECONDARY IMP			
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE		
EVENT NUMBER	<u>2</u>		47			
EBS (km/h) TOTAL	027	8	9	<u>9</u>		
LONGITUDINAL*	$\frac{-027}{17}$	8	<del>9</del> <del></del>	<u>9</u>		
LATERAL*  *NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.  EXAMPLES: 10 km/h = ± Q 1 Q	$\frac{+}{21} \mathcal{O} \mathcal{O} \frac{\mathcal{O}}{24}$	39 42	<u>q</u>	$\frac{Q}{73} = {76}$		
-7 km/h = : 0 0 Z  ENERGY DISSIPATED BY CRUSH (kj)	<u>0</u> <u>0</u> <u>5</u> <u>0</u> <u>28</u>	8	9	9		
RECONSTRUCTION						
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL  (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL  (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL  (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL  NOT RECONSTRUCTED BECAUSE  (02) INSUFFICIENT DATA  (03) EXCESSIVE UNDERRIDE/OVERRIDE  (04) ROLLOVER  (05) VAULTING  (06) OTHER TRAVEL IN MORE THAN ONE PLANE  (07) NON-HORIZONTAL FORCE  (08) SIDESWIPE-TYPE DAMAGE	2 2 29 30		<u>Q</u> <u>&amp;</u> 63			
(09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED  MODE  (1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED  COMPUTER PROGRAM SPECIFY: WINSMASH	<u>2</u>	•	<u>5</u>			

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>3</u> 12

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C  $_{\rm 1}$  TO C  $_{\rm 6}$  FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.


CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L				
	43 cm Pt of LFBC	Firmpen BC to BC				
2	Begin LEBL - 152 cm to REAR	Sep (				



DL 38

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other \_
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	ole below is a	separate rec	ord (card).		plicate col	umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.		Damage Max Crush	Field	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
1	l	38	41	132	3	15	41	10	9	4	-13
			-1		-13	-4	-1	-1	-4	-13	
1	1	038	040	132	000	011	040	019	005	000	-013
13	14 <b>ਪ</b>	15 16 17 15 Z	18 19 20	21 22 23 15 <b>Z</b>	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2	4	152	4	152	999	999	999	999	999	199	+999

Duplicate columns 1-8	
from the previous card.	

#### CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C  $_1$  TO C  $_6$  FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


**LOCATOR** 

3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L



DL \_\_\_\_\_

UDL

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other\_
- (9) Unknown

**CRUSH PROFILE IN CENTIMETERS** 

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).		plicate col	umns 1 - 1	12 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
1			<del></del>								
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
								30 57 50	00 07 00	33 40 41	42 43 44 45
2											

Duplicate columns 1-8 from the previous card.  Module W T 9 10	Format <u>0</u>		WHEELS AND TIRES WT-
WHEELSDAMAGED  (0) NO (1) YES (9) UNKNOWN	LF RF RR LR		SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S)  LF
TIRE TREAD TYPE  (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 4 4 4	LR ¥
CARCASS CONSTRUCTION  (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR	3 3 3 24	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:			

Duplicate columns 1-8 Module F T Format from the previous card. 9 10	0 1	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL  (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE  (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>8</u>
MAIN TANK LOCATION	3 27 14 16	AUXILIARY TANK LOCATION	888 22 24
MAIN FILLER CAP LOCATION	Z 13 17 19	AUXILIARY FILLER CAP LOCATION	<u>888</u>
MAIN TANK MATERIAL	2/20	AUXILIARY TANK MATERIAL	<b>8</b> 28

#### TANK AND FILLER CAP LOCATION CODES

#### FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

#### SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

#### THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

#### **TANK MATERIAL CODES**

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card. Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

#### DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.



	I	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15	_	<u>—</u>	_		21
#2	22 23					29
#3	30 31					37
#4	38 39		_			45
#5	46 47					53

#### LEAKING COMPONENT

#### TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

#### **DELIVERY SYSTEM**

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

#### **EVAPORATIVE EMISSION CONTROL SYSTEM**

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

#### **EEC SYSTEM (CONTINUED)**

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

#### II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

#### III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

#### IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

#### V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

#### SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format C 9 10 1	) <u>1</u> 1 12	Fire	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAI (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE  (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE  (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	17


PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card.  Module E D Form  9 10	t 0 1 EXTERIOR DAMAGE	ED-1
Hood Performance	STEERING COL FLEXIBLE COUPLIN	G
FOR THE FOLLOWING, USE CODES:	FLEXIBLE COUPLING TYPE	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH(ES)RELEAS	(7) OTHER	
-DAMAGE		
JAMMED	COUPLINGDAMAGE  (USE CODES FROM HOOD PERFORMANCE) -SEPARA (COMPLE	7 TED 9
HOOD HINGESLEFT, DAMAGE	<u>O</u>	
-LEFT, SEPARAT (COMPLE	ED	
-RIGHT, DAMAGEI	ENG COMPART TELESCOPING UNIT	
* -RIGHT, SEPARAT (COMPLE) HOOD REMAINED ON VEHICLE		8 29 3
REAR EDGE OF HOODELEVATE -CONTACTED WINDSHIEL	ORIGINAL LENGTH (mm)  F (OR H):	
-PENETRATED WINDSHIEL	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCATION	G:	
(1) FRONT OF VEHICLE (2) COWL AREA (3) SIDE (8) NOT APPLICABLE (9) UNKNOWN	DIFFERENCE (mm)  F (OR H) - G  (IF LESS THAN 15mm, ENTER *000*.)	
ENGINE OR TRANSMISSION MOUNT  SEPARATION (COMPLETE)  (0) NO (1) YES (9) UNKNOWN	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8

		Exterior Damage	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8/34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	0	USE CODES:  (0) DOOR DID NOT OPEN  OPENED BECAUSE OF  (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
-A-PILLAR, UPPER  LOWER  -B-PILLAR, UPPER	35 4 36 0 37	(9) UNKNOWN -FRONT -REAR	0 43 0 44
LOWER -C-PILLAR, UPPER	0 38 0 39	DOORS JAMMED CLOSED-  USE CODES:  (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER -D-PILLAR, UPPER	39 0 40 0 41	-FRONT -REAR	0 45 0 46
LOWER	√41 <i>O</i> √42		

		EXTERIOR DAMAGE	ED-
		OTHER REAR DAMAGE	
REAR DOOR		WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION?	
REAR DOOR TYPE	7	(0) NO	
<ul> <li>(0) NO DOOR (INCLUDES PICKUPS)</li> <li>(1) HATCHBACK</li> <li>(2) ONE-WAY TAILGATE</li> <li>(3) TWO-WAY TAILGATE</li> <li>(4) CLAMSHELL/DISAPPEARING TAILGATE</li> </ul>	47	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	5
(5) SINGLE DOOR (6) DOUBLE DOOR		SPARE TIRE	
(9) UNKNOWN  Hatchback  One-way		(0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	51
Two-way or		TRAILER HITCH TYPE	
Clamshell		(0) NO HITCH  BALL-AND-SOCKET TYPES	52
Single door		<ul> <li>(1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON)</li> <li>(2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK)</li> <li>(3) BUMPER-AND-FRAME (BUT NON-EQUALIZING)</li> </ul>	
Double door		(4) LOAD EQUALIZING OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN	$\frac{\mathcal{O}}{48}$	(8) EQUIPPED, TYPE UNKNOWN	
OPENED BECAUSE OF	48	(9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN		TRAILER TYPE (AT TIME OF COLLISION)  (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER	<u>∂</u> 53
(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN		(4) UTILITY TRAILER (5) TOWED CAR (7) OTHER:	
DOOR JAMMED CLOSED		(8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	
(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	$\frac{\mathcal{O}}{49}$		

-		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<b>8</b> /54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN  OPENED BECAUSE OF  (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>D</u> 55	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNOWN	
LOWER	<u>Q</u> 56	-FRONT -REAR	65 66
-B-PILLAR, UPPER	<u>O</u> 57  O 58	DOORS JAMMED CLOSED- USE CODES:	
-C-PILLAR, UPPER	<b>O</b> 59	(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	<b>Q</b> 60	-FRONT	<u>O</u> 67 O = 88
-D-PILLAR, UPPER LOWER	Ø 61 Ø	VAN REAR DOOR TYPE  (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE	<u>8</u>
		(3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	



Duplicate columns 1-8 Module S C Format ( from the previous card. 9 10 1	1 12	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE  (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	13	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED?  EXAMPLES  O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4 14	(NORMAL STRAIGHT AHEAD)  O'CLOCK  O'CLOCK	
STEERING WHL SPOKE DAMAGE  (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u> 15	STEERING WHEEL ENERGY ABSORBING DEVICE  (1) EXAMPLES:  BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES:  OMNI, 78 -  HORIZON, 78 -	
TILT FEATURE  (0) NOT EQUIPPED  (1) YES, EQUIPPED, UNK POSITION  (2) UP  (3) MIDDLE  (4) LOWER  (9) UNKNOWN IF EQUIPPED	<u>3</u>	TYPE OF DEVICE  (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED  ORIGINAL DIMENSION (mm)	8 19
SWING-AWAY FEATURE  (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>0</u>	A:  DAMAGE DIMENSION (mm)  B:  DIFFERENCE (mm)	
TELESCOPING FEATURE  (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>0</u>	A - B  (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)	
ENERGY ABSORBING DEVICE		(331111328)	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE	<u>0</u>
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm) D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 30		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>O</u> 31		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	32		

This page left intentionally blank.


### INTRUSION IT-1

		(All Measurements Are in Centimeters)			Dominant		
Location of		Comparison		Intruded			Crush
Intrusion	Intruded Component	Value		Value	=	Intrusion	Direction
			_		=		
			_		=	-	
					=		
					_=_		
		-		···			
					=		
					=_		
					=		
			_				
					=		
					=		
	Strom on the strong str		_		=		

## OCCUPANT CONTACT WORKSHEET

	Interior	Occupant	Body		Confidence Level of
	Component	No. if	Region		Contact
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Point
Α	Knee bolster	DR	Rt. knee	Scuffmark	1
В	Knee bolster	DR	Lt. leg	Scuffmark	1
С	Sunvisor	DR	Head	Black mark	3
D					
E					
F					
G					
Н					
l					
J					

# C- sunvisor - black mark



B- knee bolster - scuff mark

#### CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

#### FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

#### SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1) LEFT	(3) RIGHT		INDIVIDUAL SEAT
(1) LEFT	(2) CENTER	(3) RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1) LEFT	(2) LEFT CENTER	(6) RIGHT (3) RIGHT	BENCH: FULL WIDTH 4 PASSENGER
(1) LEFT	(2) CENTER	(5) RIGHT &AISLE SPACE	BENCH: PARTIAL WIDTH, LEFT
(0) LEFT & SPACE	(2) CENTER	(5) RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4) ENTIRE	VEHICLE WIDTH		CARGO AREA

#### **EXAMPLES**

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

#### PASSENGER CAR 5 PASSENGERS

#### VAN 12 PASSENGER CAPACITY



## CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

# CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT NUMBER	INJURY NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

#### CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: <u>DO NOT</u> CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

#### INDIVIDUAL COMPONENT

#### INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ **SEAT-BACK BACK SURFACE**
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

#### **EXTERNAL**

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

#### GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

(50)WINDSHIELD HEADER

A-PILLAR

ROOF SIDE RAIL

(51)INSTRUMENT PANEL

A-PILLAR DOOR PANEL

(52)INSTRUMENT PANEL

A-PILLAR

WINDSHIELD HEADER

(53)DOOR PANEL

**B-PILLAR ROOF RAIL** 

(54)DOOR PANEL A-PILLAR

**ROOF RAIL** 

(55)INSTRUMENT PANEL FLOOR PAN

A-PILLAR

DOOR FRAME

(56)ROOF RAIL

A-PILLAR

**B-PILLAR** 

WINDOW FRAME

(57)ROOF RAIL

A-PILLAR

**B-PILLAR** C-PILLAR

DOOR PANEL

(58)ROOF **ROOF RAIL** 

WINDOW FRAME

DOOR PANEL

(59)BACKLIGHT HEADER

ROOF C-PILLAR THIRD SEAT-BACK (60)ROOF **ROOF RAIL** A-PILLAR **B-PILLAR** 

C-PILLAR WINDOW FRAME

DOOR PANEL FLOOR PAN

(61)INSTRUMENT PANEL

**TOE PAN** 

WINDSHIELD HEADER

A-PILLAR

**ROOF RAIL** WINDOW FRAME

DOOR PANEL

ROOF

(62)ROOF

**ROOF RAIL** 

C-PILLAR WINDOW FRAME

**FLOOR PAN** 

SECOND SEAT

DOOR PANEL

(63)ROOF RAIL

ROOF **B-PILLAR** 

WINDOW FRAME

FLOOR PAN

DOOR PANEL

SECOND SEAT FRONT SEAT

(64)ROOF RAIL ROOF OR CONVERTIBLE TOP

A-PILLAR **B-PILLAR** 

WINDOW FRAME

WINDOW HEADER

(65)WINDSHIELD

WINDSHIELD HEADER **ROOF SIDE RAIL** 

(66)WINDSHIELD WINDSHIELD HEADER

A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module from the previous card.	9 10 11 12		Intrusion	IT-5
WAS THERE OCCUPANT COM  (0) NO <u>DO NOT</u> ANSWER NEXT QUES  (9) UNKNOWN <u>SKIP PAGE</u> .	13 KT QUESTION. <u>SKIP PAGE</u> .		N CATASTROPHIC? MPLETE PAGE. KIP PAGE.	14
Duplicate columns 1-8 Module from the previous card.  NOTE: Each line in the table below	e I T Format 0 2 9 10 11 12  is a separate record (card). Duplic	cate columns 1 - 12 for each c	completed line.	
CODES I	TRUSIONS IN THIS ORDER: LEFT FOR B, F, G, H, I, J ON PAGE IT- FOR C ON PAGE IT-4	3	T TO BACK IN VEHICLE	S.
A B C INTRUDING INTRUSION OCC. COMPONENT NUMBER SPACE NO. OR OBJECT		G H MAXIMUM NTRUSION OCCUPANT (AXIS (cm) NUMBER	I J INJURY OCCUPANT NUMBER NUMBER	K INJURY NUMBER
13-14 15-16 17-18	19 20-21 22-23	24-25 26-27	28-29 30-31	32-33
0 1				
03				
0 4				
0 5				
0 6				
0 7 NOTE: USE ADDITIONAL PAGE IF MORE TH	AN 7 INTRUSIONS.			
Duplicate columns 1-8 Module from the previous card.	I T Format 0 3 11 12			·
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM	DOOR INTRUSIO	DOOR COMPONENT RIN, CODE COMPONEN  MAGED DAMAGE PONENT 1 COMPONE	T ED	
INTRUSION	A		(0) NONE (1) A-PILLAR (2) B-PILLAR (3) C-PILLAR (4) LATCH/STRII (5) HINGES (7) OTHER: (8) NOT APPLIC (9) UNKNOWN	KER
	34 35	37	(9) UNKNOWN	

Duplicate columns 1-8 from the previous card.

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT	D ASSOC. EVENT NO.	E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)	G MAXIMUM INTRUSION Z AXIS (cm)	H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0.0										
0 8									<del></del>	
09		<del></del>		<del></del>						
1 0										
1 1										
<u>1</u> 2										
<u>1</u> 3										
1 4										
<u>1</u> 5										——
<u>1</u> <u>6</u>			_					<del></del>		
1 7										
1 8			_						<del></del>	
<u>1</u> 9		<del></del>								
2 0		<del></del>					<u> </u>			
2 1							<del></del>			
22										
2 3			_			<del></del>	<del></del>		<del></del> _	
2 4										
2 5										


CO		) NO		4) YES, and O	CCUPANT CONTACT	
			OCCUPANT CONTACT (	8) NOT APPLI 9) UNKNOWN	CABLE	
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL 3-PILLAR 5-PILLAR	(3) LEFT  O   13 O   15 O   17 O   19 O   21 O   23 O   25 O   27 O   29 O   31 O   33 O   35	RIGHT  O 14  O 16  O 18  O 20  O 24  O 26  O 30  O 34  O 36	(	8) NOT APPLI	CABLE	55 0 56 3 57 0 58 0 61 0 62 0 63 0 64 0 65 0
ROOF STRUCTURE -ROOF/SUN ROOF OTHER: *	9 37 9 39 41 43	0 38 0 4 6 2 6 4		54	PEAR WINDOW WINDOW HEADER  CONSOLES VERTICAL	O 6 8 0 69 O 70

MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 Module S T from the previous card. 9 10		2 12	SEATS	,	ST-1
FRONT SEAT TYPE OF FRONT SEAT	Driver	PASSEN'R	FRONT SEAT-BACK	DRIVER	Passen'r
(00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE	<u>0</u> <u>5</u>	<u>O</u> 5-	SEAT-BACK TYPE  (1) FORWARD FOLDING  (2) RIGID  (3) RECLINING  (7) OTHER:  (8) NOT APPLICABLE  (9) UNKNOWN	3 30	3
(97) OTHER: (99) UNKNOWN  TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<u>Z</u>	<u>Z</u>	SEAT-BACK LOCK TYPE  (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	20	LOCKS HELD  (0) NO  (1) YES  (8) NOT APPLICABLE	<u>/</u> 34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	1/2	(9) UNKNOWN  RECLINER MECHANISM  HELD  (0) NO	1	
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	23	<u>8</u>	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE  (0) NONE  (1) BACKREST ONLY DAMAGED  (2) CUSHION ONLY DAMAGED  (3) BACKREST & CUSHION DAMAGED  (8) NOT APPLICABLE  (9) UNKNOWN	* <u>O</u> 25	<u>0</u>	HEAD RESTRAINT  HEAD RESTRAINT TYPE  (0) NONE  (1) ADJUSTABLE  (2) INTEGRAL  (3) NOT INTEGRAL, BUT  CANNOT BE REMOVED  (7) OTHER:  (8) NOT APPLICABLE	<u>/</u> 38	39
CENTER ARMREST DAMAGED  (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	<u>C</u> 27	2	(9) UNKNOWN  REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>0</u>	<b>7</b>
FRONT SEAT ROTATION  (0) NONE APPARENT	<u>0</u>	<u>0</u>	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	2/42	<del>2</del> - 43
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	29	HEAD RESTRAINT DAMAGE  (0) NONE  (1) DAMAGED BUT  NOT SEPARATED  (2) SEPARATED  (8) NOT APPLICABLE  (9) UNKNOWN	<u>O</u>	45

			S	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSENIR	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE  (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN	<u>2</u>	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE	-	8
ADJUSTMENT PROVIDED  (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<b>3</b> 48	49	(9) UNKNOWN IF EQUIPPED  SECOND SEAT-BACK  LOCKS	LEFT	Rіснт
SEAT ADJUSTER DAMAGE  (0) NONE  (1) CHUCKING (FREE PLAY)  (2) DEFORMED (RELEASED/JAMMED)  (3) SEPARATED  (7) OTHER:  (8) NOT APPLICABLE  (9) UNKNOWN	<u>0</u>	<u>O</u> 51	FOR THE FOLLOWING, USE:  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	52	<u></u> 53	LEFT OR CENTER, EQUIPPED  LEFT OR CENTER, HELD  (3) SEAT FOLDED DOWN  RIGHT, EQUIPPED	61 63 0 65	64 1 66
PRE-CRASH POSITION  (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	2 54	<b>3</b> 55	RIGHT, HELD  (3) SEAT FOLDED DOWN  THIRD SEAT	65 8 67	68
SECOND SEAT	LEFT	Right	EQUIPPED	<u>/</u>	1
TYPE OF SECOND SEAT  (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT	2 56	<u>2</u>	BACKREST DAMAGED CUSHION DAMAGED	69 71 0 73	70 <u>72</u> <u>72</u> <u>74</u>
(5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN  SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>0</u> 58	<b>O</b>	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS  (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN  Applies to any rear-seat position	7	5

Duplicate columns 1-8 Module A B Format 0 from the previous card.		AIRBAG	AB-1
DRIVER SIDE  LOCATION OF AIRBAG  STEERING WHEEL  EQUIPPED  (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED  DEPLOYED  (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	13	PASSENGER SIDE  LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX)  EQUIPPED  (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED  DEPLOYED  (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	16
CONDITION OF AIRBAG STEERING WHEEL  (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER  (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED OR CONDITION	<u>Ø</u>	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX)  (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDINOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u> 18
DRIVER SIDE  AIRBAG  STEERING WHEEL  TETHER  (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	<u>O</u> 19	PASSENGER SIDE  AIRBAG INSTRUMENT PANEL (GLOVE BOX)  TETHER  (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED  MARKED BY CONTACT	<u>J</u>
(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	20	(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	0/2



#### NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,

OCCUPANT INFORMATION AND INJURY CLASSIFICATION,

ARE TO BE FILLED IN

FOR EACH CASE VEHICLE OCCUPANT,

WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 110 110 110 110 110 110 110 110 110	2 12	OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER  ROLE OF OCCUPANT AT 1ST IMPACT  (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	O / 14  J 15	PHYSICAL DESCRIPTION  AGE IN YEARS  (00) LESS THAN 1 YEAR  (98) 98 YEARS OR OLDER  (99) UNKNOWN  AGE IN MONTHS  (00) LESS THAN 1 MONTH  (25) 25 MONTHS OR OLDER  (99) UNKNOWN  MASS (kg)	6 4 20 21 2 5 22 23
OCCUPANT POSITION  ROW LOCATION  (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	(999) UNKNOWN (135 16)  HEIGHT (cm)  (999) UNKNOWN (541, 01)  SEX  (1) MALE (2) FEMALE (9) UNKNOWN	$ \begin{array}{c c} 0 & 6 & 1 \\ \hline 24 & 25 & 26 \end{array} $ $ \begin{array}{c c} 1 & 5 & 2 \\ \hline 27 & 28 & 26 \end{array} $ $ \begin{array}{c c} 2 & 2 & 30 \end{array} $
LATERAL LOCATION  (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS  TREATMENT/MORTALITY  (00) NONE  (01) FIRST AID AT SCENE  (02) TREATED AT HOSPITAL/CLINIC  BUT NOT ADMITTED  (03) HOSPITALIZED FOR OBSERVATION  LESS THAN 24 HOURS  (04) HOSPITALIZED OVER 24 HOURS  OR FOR SIGNIFICANT TREATMENT  (05) FATAL, DEAD AT SCENE  (06) FATAL, DEAD WITHIN 24 HOURS	0 2 31 32
POSTURE  (10) SITTING ON SEAT  (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS)  (12) SITTING ON CONSOLE  (20) ON LAP OR IN ARMS  (30) STANDING ON SEAT  (40) STANDING ON FLOOR  (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT  (50) IN BASSINET  (60) IN CHILD SEAT	<u>/</u> <u>0</u>	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN  INJURY SEVERITY SCORE (ISS) (99) UNKNOWN  NON-IMPACT MED. CONDITIONS	<u>0</u> 2
(65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN		(0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	<u>O</u> 35

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.)  POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	36	CHILD SEAT TYPE  (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN  CHILD SEAT MAKE/MODEL	8 41
ACTIVE RESTRAINT SYSTEM  (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN  ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM  (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM USAGE  (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG NOT DEPLOYED (3) AIRBAG NOT DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE LAP & UPPER TORSO USED (5) PASSIVE UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	3 3 38 1 39 2 40	EJECTION  DEGREE OF EJECTION  (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED  AREA OF EJECTION  (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, RIGHT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED  IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:  HEAD RESTRAINT AVAILABLE FOR THIS POSITION  (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	9 8 44 45

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR  (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	9 47	SOURCE OF INFORMATION  (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	48

# OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.





Duplicate columns 1-8 from the previous card.

Injury Classification IC-1

NOTE: Each line in the table below is a separate record (card).


Duplicate columns 1 - 12 for each completed line.

# OCCUPANT INJURY CLASSIFICATION

							MARY	OIC		A	ssoc	IATE	COMMENTS				
OCCUPANT NUMBER	PROBABILITY (HORIZO START WITH MOST PR IN 1ST CONTACT AREA		ROBABILITY (HORIZONTALLY) .  PART WITH MOST PROBABLE  1ST CONTACT AREA COLUMN.  REA(S) OF POSSIBLE CONTACT		PLACE CONTACTS IN ORDER OF PROBABILITY (HORIZONTALLY). START WITH MOST PROBABLE IN 1ST CONTACT AREA COLUMN.  AREA(S) OF POSSIBLE CONTACT 1ST 2ND		BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY LO	BODY RÉGION 1	ASPECT N	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30			
01	01	56			K	R	<u></u>	I	1	_		_	_	_			
1	02	99			L	_	<u>T</u>	M	1	_	_	_					
					-	_	_	_	_								
		<del></del>			-			_	_	_	_	_	_	-			
					-			_	-			_					
					-		_	_				_					
					_	_	_	_	-		_	_	_	-			
ch line							_	_			_	_	_				
yer" for ea					_	_	_	_	_	_	_		_				
te "Occupant Number" for each line.					_	_		_		_	_						
ite "Occur					_			_				_		_			
Duplica							_	_	_	_	_		_	_			
					_				_		_		_	_			
					_	_	_		-		_	_	_	-			
						_	_	÷	-			_		-			
					_		_	_	-	_				-			
					_		_	_	-	_			_	-			

# CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

		OIDEE OOOO! AI	TOOM ACT
FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	· ·	(19)	
( /		(13)	· ·
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)		ARMREST ON SIDE OR DOOR COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)	(24)	COATHOOK
(55)	• •	(00)	11/11/DOM 61 400 (610 F)
	MIDDLE INSTRUMENT PANEL (Y)		WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	(26)	
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
(53)	PARCEL TRAY	(17)	D-PILLAR
(48)	KNEE RESTRAINT		
(86)	VERTICAL CONSOLE	FLOOR	
		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
	•	(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	٠,,	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL		FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN		
(59)	TRANSMISSION LEVER ON COLUMN	(91)	KICKPANEL
(59)	THANSMISSION LEVER ON COLUMN	Door	
(00)	HARDWARE ITEM (OREGINA AREA ANNA MANA	Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
(67)	IGNITION KEY	(18)	DOME LIGHT
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)		ROLL BAR
(08)	RADIO (BUILT IN)	\ <i>/</i>	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
(00)	THOSE WIGHT CONTINUES CONTOCLES	(37)	
REAR		(05)	(SPECIFIC AREA UNKNOWN)
	CUREACE OF REAR INTERIOR	(35)	HOOD OF CASE VEHICLE
(88)		(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)			OUTSIDE MIRRORS, ANTENNA, TRIM)
	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
	R-GENERAL		
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT	` '	OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
,,	· · · · · · · · · · · · · · · · · · ·	(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(70) (77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	i. i	
(49)		(78)	GROUND
	UNDER SEAT BOTTOM	(79)	WATER
(89)	UNDER SEAT BUTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
/A-1	DECTRAINT OVCTEN HARDINARE		OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE	_	_
	RESTRAINT SYSTEM WEBBING	PENETRA	ATING OBJECTS
	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS		·
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT	(00)	NO CONTACT (INVALID FIELD FORM CODE)
(42)	CHILD SEAT RESTRAINTS		OTHER (E.G. FIRE. DESCRIBE)
(43)	CHILD SEAT		SPARE TIRE
(31)	INTERIOR LOOSE OBJECT		INDUCED
(32)	OTHER OCCUPANT(S)	, ,	EJECTED, UNKNOWN CONTACT
(52)	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	IMPACT FORCE, "WHIPLASH",
	UNKNOWN INTERIOR SURFACE	(30)	HYPEREXTENSION/COMPRESSION
/	_ · · · · · · · <del></del>	(99)	UNKNOWN AREA OF CONTACT
		(33)	THE PROPERTY OF THE PARTY OF TH



#### CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

## 1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

## 3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

## 4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

# 2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

# SEVERITY 5 SYSTEM/ORGAN 4 LESION 9 ASPECT 0 BODY REGION 1

#### 5 SEVERITY (OR \*AIS\*, ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN





















































st Availat

















































